Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 1 of 71 PageID #: 3970

**Exhibit D** 



T Padilla Data Pack Accession #: 13167535-015 Collection Date: 01/13/2021

Smarter solutions. Better outcomes.

2916 W. Marshall Street, Suite A, Richmond, VA 23230 | averhealth.com



Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 2 of 71 PageID #: 3971

## **Full Page Lab Report**



## **Individual Screening Report**

 Account:
 Michigan - Department of Health & Human Services
 Results:
 Positive (Confirmed)

 Program:
 Michigan - Muskegon County
 Scheduled Date:
 01/13/2021

 Patient Name:
 Tiffani Padilla
 Collection Date:
 01/13/2021 16:57

 PIN:
 6925866
 Collection Location:
 TPA - Services of Esperenza (Services of Hope)

 Accession Group #:
 13167535-015
 Date Received:
 01/15/2021 07:38

 Patient ID 2:
 N/A
 Date Reported:
 01/15/2021 12:59

 Patient ID 3:
 N/A
 Confirmation Order:
 01/15/2021 13:01

 Patient ID 4:
 N/A
 Confirmation Reported:
 01/17/2021 00:58

Case Worker: Carolyn Dixon
Collected By: Floyd Woods
Order Type: Random

Test Class	Assay / Analyte	Result	Not Tested Reason	Level	Cut-Off	ULOL	Sample Type	Testing Method
Amphetamines	Amphetamines- SI	Negative	-	2.4 ng/ml	12.5 ng/ml	12.5 ng/ml	Oral Fluid	Immunoassay
	Methamphetamine SI	Negative	*	0 ng/ml	12.5 ng/ml	12.5 ng/ml	Oral Fluid	Immunoassay
Benzodiazepines	Benzodiazepines- SI MI	Negative	-	0 ng/mL	20 ng/mL	5 ng/mL	Oral Fluid	Immunoassay
Buprenorphine	Buprenorphine- SI	Negative	-	0 ng/ml	1.25 ng/ml	1.3 ng/ml	Oral Fluid	Immunoassay
CannabinoidsNatural	Cannabinoids SI1	Negative	-	0 ng/mL	1 ng/mL	1 ng/mL	Oral Fluid	Immunoassay
Cocaine	Cocaine SI 3.5	Negative	-	0.0  ng/mL	3.5  ng/mL	3.5  ng/mL	Oral Fluid	Immunoassay
Fentanyl	Fentanyl OF	Positive	-	8 ng/mL	2 ng/mL	2 ng/mL	Oral Fluid	Immunoassay
	Fentanyl	Positive	-	1.89 ng/m1	1 ng/ml	50 ng/ml	Oral Fluid	LC-MS/MS
	Norfentanyl	Negative	-	0 ng/ml	1 ng/ml	50 ng/ml	Oral Fluid	LC-MS/MS
Opiates	Opiates - SI 7.5	Negative	-	0.0  ng/mL	7.5 ng/mL	7.5 ng/mL	Oral Fluid	Immunoassay
	Oxycodone-SI	Negative	-	0 ng/ml	10 ng/ml	10 ng/ml	Oral Fluid	Immunoassay
Tramadol	Tramadol - SI	Negative		1.2 ng/mL	10 ng/mL	10 ng/mL	Oral Fluid	Immunoassay

#### Notes:

- 1. Upper Limit of Linearity (ULOL) Numeric values above the upper limit of quantitation are not reported. If the amount reported is the same as the upper limit of quantitation, the concentration in the sample is at or above this level.
- 2. Confirmed positive for Fentanyl 1.89 ng/ml
- 3. Averhealth Collections Statement Sample collected met all requirements for proper temperature and other possible adulteration indicators.
- 4. Frozen Storage Non-negative samples will be sealed in the original container, properly marked for identification, and locked in frozen storage for 365 days from the date of collection.
- 5. Testing Performed by Avertest, LLC d/b/a averhealth, 4709 La Guardia Drive St. Louis , MO; 63134
- 6. This collection was Observed

#### **Certification Statement:**

I certify I am employed by Averhealth as a laboratory technician and performed the analysis and data review of the specimen contained in this report. My education, training and experience qualify me to perform the tests and certify the results. Confirmation GC-MS or LC-MS/MS testing was performed to confirm the specimen for the

absence or presence of a substance. GC-MS or LC-MS/MS is the gold standard, forensically defensible confirmation test. This technique is a widely used and most accurate confirmation technique to definitively detect specific substances in the specimen. Operating procedures and protocols established by the Clinical Laboratory Improvement Amendments were followed during the testing process and I certify that the test results are reliable and accurate. I acknowledge that submission of false information may subject me to prosecution for the criminal offence of perjury. All LC-MS/MS testing methods performed at Averhealth are laboratory developed test methods.

Certifying Technician: Jennifer Andre

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 3 of 71 PageID #: 3972

**Chain of Custody** 

01/13/2021 01:20	System	TestingMethod set to Immunoassay
01/13/2021 01:20	System	InsertedBy set to System
01/13/2021 01:20	System	TestLocation set to InHouse
01/13/2021 01:20	System	TestPrice set to 57.5
01/13/2021 01:20	System	Status set to Scheduled
01/13/2021 01:20	System	AccessionId set to 13167535-015
01/13/2021 01:20	System	ProgramsPanelld set to 26326
01/13/2021 01:20	System	CollectionType set to Oral Fluid
01/13/2021 01:20	System	Name set to TPA Oral
01/13/2021 01:20	System	CollectionId set to 13167535
01/13/2021 01:20	System	Id set to 20058763

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 4 of 71 PageID #: 3973

01/13/2021 01:20	System	Panel Created: Night Proccess - Rescheduler, Confirming collection
01/13/2021 17:57	FloydW	Updated from Check-In
01/13/2021 17:58	FloydW	Status updated from 'Scheduled' to 'Collected'
01/13/2021 17:58	FloydW	LabLocation updated from " to '65'
01/13/2021 19:08	FloydW	Panel added to Shipment - Finalize
01/13/2021 19:09	FloydW	Status updated from 'Collected' to 'Shipped'
01/13/2021 19:09	FloydW	CCF updated from " to 'null'
01/13/2021 19:09	FloydW	ShipmentId updated from " to '455356'
01/15/2021 08:38	troberts	Status updated from 'Shipped' to 'Delivered'
01/15/2021 08:38	troberts	Shipment Details - Updated to Delivered
01/15/2021 12:04	troberts	BatchPosition updated from " to 'B5'
01/15/2021 12:04	troberts	Status updated from 'Delivered' to 'Box'

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 5 of 71 PageID #: 3974

01/15/2021 12:04	troberts	BatchOrder updated from " to '15'
01/15/2021 12:04	troberts	BatchId updated from " to '165463'
01/15/2021 12:04	troberts	Batch Number updated from " to 'BA20210115068'
01/15/2021 12:04	troberts	BatchScanTime updated from " to '1/15/2021 4:04:20 PM'
01/15/2021 12:04	troberts	BoxId updated from " to '79363'
01/15/2021 12:04	troberts	Box Number updated from " to 'BX20210115048'
01/15/2021 12:04	troberts	BoxOrder updated from " to '15'
01/15/2021 12:04	troberts	BoxPosition updated from " to 'B5'
01/15/2021 12:21	troberts	Status updated from 'Box' to 'Batch'
01/15/2021 13:59	kkelly@averhealth.com	Status updated from 'Batch' to 'Positive Screen'
01/15/2021 13:59	kkelly@averhealth.com	ResultsDate updated from " to '1/15/2021 5:59:26 PM'
01/15/2021 13:59	kkelly@averhealth.com	Reporter updated from " to '1818'

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 6 of 71 PageID #: 3975


01/15/2021 13:59	kkelly@averhealth.com	OverallResult updated from " to 'POS'
01/15/2021 13:59	kkelly@averhealth.com	TestDate updated from " to '1/15/2021 5:59:26 PM'
01/15/2021 13:59	kkelly@averhealth.com	IsReportedFromLab updated from " to 'True'
01/15/2021 13:59	kkelly@averhealth.com	Reported from DI as POS
01/15/2021 14:02	System	ConfirmationOrderMethod updated from " to 'A'
01/15/2021 14:02	System	IsSentForConfirmation updated from " to 'True'
01/15/2021 14:02	System	ConfirmationOrderedBy updated from " to 'System'
01/15/2021 14:02	System	ConfirmationProgramPaymentType updated from " to 'ProgramInvoice'
01/15/2021 16:07	jdriver@averhealth.com	PickingListBoxPosition updated from " to 'H4'
01/15/2021 16:07	jdriver@averhealth.com	PickingListBoxOrder updated from " to '74'
01/15/2021 16:07	jdriver@averhealth.com	PickingListId updated from " to '35947'
01/15/2021 16:07	jdriver@averhealth.com	PickingList Number updated from " to 'PL20210115033'

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 7 of 71 PageID #: 3976

01/15/2021 16:07	jdriver@averhealth.com	Status updated from 'Positive Screen' to 'PickingList'
01/15/2021 23:25	rbowman@averhealth.com	BoxId updated from '79363' to '79449'
01/15/2021 23:25	rbowman@averhealth.com	Box Number updated from 'BX20210115048' to 'BX20210115134'
01/15/2021 23:25	rbowman@averhealth.com	Status updated from 'PickingList' to 'Box'
01/15/2021 23:25	rbowman@averhealth.com	BoxOrder updated from '15' to '39'
01/15/2021 23:25	rbowman@averhealth.com	BoxPosition updated from 'B5' to 'D9'
01/17/2021 01:59	jandre@averhealth.com	Status updated from 'Box' to 'Positive Screen'
01/17/2021 01:59	jandre@averhealth.com	IsMROReviewRequired updated from " to 'False'
01/28/2021 15:36	amuhammad@averhealth.com	Status updated from 'Positive Screen' to 'Storage'
01/28/2021 15:36	amuhammad@averhealth.com	StorageBoxId updated from " to '14465'
01/28/2021 15:36	amuhammad@averhealth.com	DisposalDate updated from " to '1/15/2022 12:00:00 AM'
01/28/2021 15:36	amuhammad@averhealth.com	StorageBoxOrder updated from " to '26'

amuhammad@averhealth.com StorageBoxPosition updated from " to 'C6' 01/28/2021 15:36

# **Fentanyl Cal Curve**



Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 10 of 71 PageID

#: 3979





Created with Analyst Reporter Printed: 20/02/2023 12:43:27 PM

Data File BA20210115175.wiff	Result Table BA20210115175_YK
Acquisition Date 1/16/2021 9:56:13 AM	Algorithm Used MQ4
Acquisition Method Oral Fluid Specialty 2019.dam	Instrument Name 4000 Q TRAP
Project Oral Fluid	

**Standard Summary** 

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 11 of 71 PageID #: 3980



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
T.	Concentration	Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	4.030	1 of 1	3.550	N/A	N/A	88.040
N/A	5.000	N/A	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	7.660	0 of 1	N/A	N/A	N/A	N/A
N/A	10.000	N/A	N/A	N/A	N/A	N/A
N/A	14.660	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	15.160	1 of 1	17.930	N/A	N/A	118.260
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
N/A	20.000	N/A N/A	N/A	N/A	N/A	N/A
N/A	29.600	N/A N/A	N/A	N/A	N/A N/A	N/A
	31.130					
Buprenorphine 1		1 of 1	29.650	N/A	N/A	95.230
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
N/A	40.000	N/A	N/A	N/A	N/A	N/A
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	76.870	1 of 1	75.300	N/A	N/A	97.950
N/A	100.000	N/A	N/A	N/A	N/A	N/A
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	156.900	1 of 1	157.670	N/A	N/A	100.490
N/A	200.000	N/A	N/A	N/A	N/A	N/A
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	4.030	1 of 1	3.670	N/A	N/A	90.950
N/A	5.000	N/A	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	7.660	1 of 1	7.390	N/A	N/A	96.460
N/A	10.000	N/A	N/A	N/A	N/A	N/A
N/A	14.660	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	15.160	1 of 1	17.920	N/A	N/A	118.190
N/A	16.210	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 12 of 71 PageID





Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
7	Concentration	Values		Deviation		
N/A	16.290	N/A	N/A	N/A	N/A	N/A
N/A	20.000	N/A	N/A	N/A	N/A	N/A
N/A	29.600	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	31.130	1 of 1	29.840	N/A	N/A	95.870
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
N/A	40.000	N/A	N/A	N/A	N/A	N/A
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	76.870	1 of 1	75.370	N/A	N/A	98.050
N/A	100.000	N/A	N/A	N/A	N/A	N/A
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	156.900	1 of 1	157.570	N/A	N/A	100.430
N/A	200.000	N/A	N/A	N/A	N/A	N/A
N/A	279.270	N/A N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A N/A	N/A	N/A	N/A	N/A
	0.500		N/A	N/A	N/A	N/A
N/A		N/A				N/A
N/A	0.810	N/A	N/A	N/A N/A	N/A	
N/A	1.000	N/A	N/A		N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
EDDP 1	5.000	1 of 1	5.430	N/A	N/A	108.700
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
EDDP 1	10.000	1 of 1	8.800	N/A	N/A	88.020
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
EDDP 1	20.000	1 of 1	21.850	N/A	N/A	109.270
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
EDDP 1	40.000	1 of 1	36.390	N/A	N/A	90.960
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
EDDP 1	100.000	1 of 1	103.520	N/A	N/A	103.520
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
EDDP 1	200.000	1 of 1	198.930	N/A	N/A	99.470
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 13 of 71 PageID

#: 3982



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
EDDP 2	5.000	0 of 1	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
EDDP 2	10.000	0 of 1	N/A	N/A	N/A	N/A
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
EDDP 2	20.000	1 of 1	20.840	N/A	N/A	104.220
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
EDDP 2	40.000	1 of 1	37.680	N/A	N/A	94.210
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
EDDP 2	100.000	1 of 1	101.810	N/A	N/A	101.810
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
EDDP 2	200.000	1 of 1	199.550	N/A	N/A	99.780
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	0.500	1 of 1	0.430	N/A	N/A	86.070
N/A	0.810	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	1.000	1 of 1	1.130	N/A	N/A	113.010
N/A	1.480	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	2.000	1 of 1	2.110	N/A	N/A	105.400
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	4.000	1 of 1	3.820	N/A	N/A	95.390
N/A	4.030	N/A	N/A	N/A	N/A	N/A
N/A	5.000	N/A	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	10.000	0 of 1	N/A	N/A	N/A	N/A
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 14 of 71 PageID

#: 3983



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	20.000	1 of 1	20.020	N/A	N/A	100.080
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
N/A	40.000	N/A	N/A	N/A	N/A	N/A
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
N/A	100.000	N/A	N/A	N/A	N/A	N/A
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
N/A	200.000	N/A	N/A	N/A	N/A	N/A
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	0.500	0 of 1	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	1.000	1 of 1	0.750	N/A	N/A	74.660
N/A	1.480	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	2.000	1 of 1	2.470	N/A	N/A	123.560
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	4.000	1 of 1	4.270	N/A	N/A	106.780
N/A	4.030	N/A	N/A	N/A	N/A	N/A
N/A	5.000	N/A	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	10.000	1 of 1	9.340	N/A	N/A	93.390
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	20.000	1 of 1	20.190	N/A	N/A	100.970
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
N/A	40.000	N/A	N/A	N/A	N/A	N/A
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A N/A	N/A	N/A	N/A N/A	N/A
N/A	100.000	N/A N/A	N/A	N/A	N/A N/A	N/A
N/A	125.980	N/A N/A	N/A	N/A	N/A N/A	N/A
N/A	149.260		N/A N/A	N/A N/A		N/A N/A
N/A	156.900	N/A			N/A	
		N/A	N/A	N/A	N/A	N/A
N/A N/A	200.000	N/A	N/A	N/A	N/A	N/A
IN/A	279.270	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 15 of 71 PageID #: 3984



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	3.340	0 of 1	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
N/A	5.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	6.980	1 of 1	6.510	N/A	N/A	93.200
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
N/A	10.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	14.660	1 of 1	16.790	N/A	N/A	114.520
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
N/A	20.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	29.600	1 of 1	26.750	N/A	N/A	90.370
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
N/A	40.000	N/A	N/A	N/A	N/A	N/A
N/A	68.230	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	73.830	1 of 1	75.470	N/A	N/A	102.220
N/A	76.870	N/A	N/A	N/A	N/A	N/A
N/A	100.000	N/A	N/A	N/A	N/A	N/A
N/A	125.980	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	149.260	1 of 1	148.820	N/A	N/A	99.700
N/A	156.900	N/A	N/A	N/A	N/A	N/A
N/A	200.000	N/A	N/A	N/A	N/A	N/A
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	3.340	0 of 1	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
N/A	5.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	6.980	1 of 1	6.780	N/A	N/A	97.200
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
N/A	10.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	14.660	1 of 1	15.210	N/A	N/A	103.730
N/A	15.160	N/A	N/A	N/A	N/A	N/A
IV/A	13.100	IN/A	11//	INA	13//7	14/7

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 16 of 71 PageID

#: 3985



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	16.290	N/A	N/A	N/A	N/A	N/A
N/A	20.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	29.600	1 of 1	29.440	N/A	N/A	99.460
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
N/A	40.000	N/A	N/A	N/A	N/A	N/A
N/A	68.230	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	73.830	1 of 1	73.440	N/A	N/A	99.480
N/A	76.870	N/A	N/A	N/A	N/A	N/A
N/A	100.000	N/A	N/A	N/A	N/A	N/A
N/A	125.980	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	149.260	1 of 1	149.460	N/A	N/A	100.130
N/A	156.900	N/A	N/A	N/A	N/A	N/A
N/A	200.000	N/A	N/A	N/A	N/A	N/A
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Ketamine 1	5.000	1 of 1	4.950	N/A	N/A	98.970
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Ketamine 1	10.000	1 of 1	9.430	N/A	N/A	94.320
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Ketamine 1	20.000	1 of 1	21.780	N/A	N/A	108.880
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Ketamine 1	40.000	1 of 1	39.510	N/A	N/A	98.770
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Ketamine 1	100.000	1 of 1	98.790	N/A	N/A	98.790
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Ketamine 1	200.000	1 of 1	200.550	N/A	N/A	100.270
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 17 of 71 PageID

#: 3986



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Ketamine 2	5.000	1 of 1	4.830	N/A	N/A	96.580
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Ketamine 2	10.000	1 of 1	9.720	N/A	N/A	97.230
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Ketamine 2	20.000	1 of 1	21.540	N/A	N/A	107.700
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Ketamine 2	40.000	1 of 1	39.970	N/A	N/A	99.930
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Ketamine 2	100.000	1 of 1	98.170	N/A	N/A	98.170
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Ketamine 2	200.000	1 of 1	200.760	N/A	N/A	100.380
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Meperidine 1	5.000	0 of 1	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Meperidine 1	10.000	1 of 1	10.280	N/A	N/A	102.770
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 18 of 71 PageID

#: 3987



Created with Analyst Reporter Printed: 20/02/2023 12:43:27 PM

Analyte Name	Expected	Number of	Mean	Standard	% cv	% Accuracy
	Concentration	Values		Deviation		(1)
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Meperidine 1	20.000	1 of 1	20.650	N/A	N/A	103.240
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Meperidine 1	40.000	1 of 1	35.910	N/A	N/A	89.770
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Meperidine 1	100.000	1 of 1	105.490	N/A	N/A	105.490
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A N/A	N/A	N/A	N/A N/A	N/A
			197.580	N/A		98.790
Meperidine 1	200.000	1 of 1			N/A	The same of the sa
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Meperidine 2	5.000	0 of 1	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Meperidine 2	10.000	1 of 1	11.010	N/A	N/A	110.120
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Meperidine 2	20.000	1 of 1	19.450	N/A	N/A	97.250
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Meperidine 2	40.000	1 of 1	34.400	N/A	N/A	86.000
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Meperidine 2	100.000	1 of 1	108.140	N/A	N/A	108.140
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Meperidine 2	200.000	1 of 1	197.000	N/A	N/A	98.500
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A

AH0010172

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 19 of 71 PageID

#: 3988



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Methadone 1	5.000	1 of 1	5.000	N/A	N/A	100.050
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Methadone 1	10.000	1 of 1	10.740	N/A	N/A	107.420
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Methadone 1	20.000	1 of 1	19.460	N/A	N/A	97.310
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Methadone 1	40.000	1 of 1	36.610	N/A	N/A	91.510
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Methadone 1	100.000	1 of 1	104.300	N/A	N/A	104.300
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Methadone 1	200.000	1 of 1	198.730	N/A	N/A	99.360
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
	3.420	N/A	N/A	N/A	N/A	N/A
N/A N/A	4.000	N/A	N/A	N/A	N/A	N/A
			N/A	N/A	N/A	N/A
N/A Methodope 2	4.030 5.000	N/A 1 of 1	5.400	N/A N/A	N/A N/A	108.070
Methadone 2		N/A	N/A	N/A	N/A N/A	N/A
N/A	6.980 7.010		N/A N/A	N/A	N/A N/A	N/A
N/A		N/A	N/A N/A	N/A N/A	N/A N/A	N/A
N/A	7.660	N/A	9.160	N/A N/A	N/A N/A	91.620
Methadone 2	10.000	1 of 1				
N/A	14.660 15.160	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A
N/A						

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 20 of 71 PageID

#: 3989



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Methadone 2	20.000	1 of 1	19.190	N/A	N/A	95.940
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Methadone 2	40.000	1 of 1	42.150	N/A	N/A	105.370
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Methadone 2	100.000	1 of 1	98.860	N/A	N/A	98.860
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Methadone 2	200.000	1 of 1	200.240	N/A	N/A N/A	100.120
N/A	279.270	N/A	N/A	N/A N/A	N/A N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A		N/A		N/A		
N/A	0.500		N/A		N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Naloxone 1	5.000	0 of 1	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Naloxone 1	10.000	1 of 1	8.380	N/A	N/A	83.790
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Naloxone 1	20.000	1 of 1	23.830	N/A	N/A	119.160
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Naloxone 1	40.000	1 of 1	39.610	N/A	N/A	99.030
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Naloxone 1	100.000	1 of 1	97.360	N/A	N/A	97.360
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Naloxone 1	200.000	1 of 1	200.910	N/A	N/A	100.450
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 21 of 71 PageID

#: 3990



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Naloxone 2	5.000	0 of 1	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Naloxone 2	10.000	1 of 1	9.030	N/A	N/A	90.330
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A N/A	N/A	N/A	N/A	N/A
					N/A	N/A
N/A	16.210	N/A	N/A N/A	N/A N/A	N/A N/A	N/A
N/A	16.290	N/A				110.430
Naloxone 2	20.000	1 of 1	22.090	N/A	N/A	
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Naloxone 2	40.000	1 of 1	40.620	N/A	N/A	101.540
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Naloxone 2	100.000	1 of 1	97.130	N/A	N/A	97.130
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Naloxone 2	200.000	1 of 1	201.140	N/A	N/A	100.570
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	5.000	0 of 1	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	10.000	0 of 1	N/A	N/A	N/A	N/A
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 22 of 71 PageID

#: 3991



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	20.000	1 of 1	21.050	N/A	N/A	105.250
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	40.000	1 of 1	37.110	N/A	N/A	92.770
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	100.000	1 of 1	102.250	N/A	N/A	102.250
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	200.000	1 of 1	199.450	N/A	N/A	99.720
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	5.000	0 of 1	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	10.000	0 of 1	N/A	N/A	N/A	N/A
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	20.000	1 of 1	20.410	N/A	N/A	102.070
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	40.000	1 of 1	38.800	N/A	N/A	97.000
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	100.000	1 of 1	101.080	N/A	N/A	101.080
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	200.000	1 of 1	199.690	N/A	N/A	99.840
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 23 of 71 PageID #: 3992



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	5.000	1 of 1	5.300	N/A	N/A	105.930
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	10.000	1 of 1	8.140	N/A	N/A	81.350
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	20.000	1 of 1	22.900	N/A	N/A	114.490
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	40.000	0 of 1	N/A	N/A	N/A	N/A
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	100.000	1 of 1	97.770	N/A	N/A	97.770
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	200.000	1 of 1	200.900	N/A	N/A	100.450
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	5.000	1 of 1	5.080	N/A	N/A	101.680
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	10.000	1 of 1	9.690	N/A	N/A	96.930
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 24 of 71 PageID

#: 3993



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	20.000	1 of 1	20.680	N/A	N/A	103.390
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	40.000	1 of 1	38.840	N/A	N/A	97.090
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	100.000	1 of 1	101.120	N/A	N/A	101.120
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	200.000	1 of 1	199.580	N/A	N/A	99.790
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A N/A	N/A	N/A	N/A N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	0.810	1 of 1	0.820	N/A	N/A N/A	101.330
N/A	1.000	N/A	N/A	N/A	N/A N/A	
	1.480	1 of 1	1.590	N/A N/A	N/A N/A	N/A
Norfentanyl 1 N/A	2.000	N/A	N/A	N/A	N/A N/A	107.190 N/A
N/A						
	3.340	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	3.420	1 of 1	3.300	N/A	N/A	96.560
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
N/A	5.000	N/A	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	7.010	1 of 1	6.600	N/A	N/A	94.140
N/A	7.660	N/A	N/A	N/A	N/A	N/A
N/A	10.000	N/A	N/A	N/A	N/A	N/A
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	16.290	1 of 1	16.170	N/A	N/A	99.270
N/A	20.000	N/A	N/A	N/A	N/A	N/A
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	34.960	1 of 1	35.490	N/A	N/A	101.520
N/A	40.000	N/A	N/A	N/A	N/A	N/A
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
N/A	100.000	N/A	N/A	N/A	N/A	N/A
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
N/A	200.000	N/A	N/A	N/A	N/A	N/A
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 25 of 71 PageID #: 3994



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	0.810	1 of 1	0.630	N/A	N/A	77.800
N/A	1.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	1.480	1 of 1	2.180	N/A	N/A	147.590
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	3.420	1 of 1	2.650	N/A	N/A	77.420
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
N/A	5.000	N/A	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	7.010	1 of 1	6.000	N/A	N/A	85.520
N/A	7.660	N/A	N/A	N/A	N/A	N/A
N/A	10.000	N/A	N/A	N/A	N/A	N/A
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	16.290	1 of 1	18.750	N/A	N/A	115.080
N/A	20.000	N/A	N/A	N/A	N/A	N/A
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	34.960	1 of 1	33.770	N/A	N/A	96.580
N/A	40.000	N/A	N/A	N/A	N/A	N/A
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
N/A	100.000	N/A	N/A	N/A	N/A	N/A
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
N/A	200.000	N/A	N/A	N/A	N/A	N/A
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	5.000	1 of 1	5.280	N/A	N/A	105.560
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	10.000	1 of 1	9.890	N/A	N/A	98.870
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 26 of 71 PageID #: 3995



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	20.000	1 of 1	19.280	N/A	N/A	96.420
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	40.000	1 of 1	38.670	N/A	N/A	96.680
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
	100.000	1 of 1	103.070	N/A	N/A	103.070
Normeperidine 1	125.980	N/A	N/A	N/A	N/A	N/A
N/A			N/A	N/A	N/A N/A	N/A
N/A	149.260	N/A N/A	N/A			N/A
N/A	156.900			N/A	N/A	
Normeperidine 1	200.000	1 of 1	198.810	N/A	N/A N/A	99.410
N/A	279.270	N/A	N/A	N/A		N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	5.000	0 of 1	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	10.000	1 of 1	9.830	N/A	N/A	98.320
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	20.000	1 of 1	22.440	N/A	N/A	112.180
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	40.000	1 of 1	34.040	N/A	N/A	85.090
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	100.000	1 of 1	105.020	N/A	N/A	105.020
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	200.000	1 of 1	198.570	N/A	N/A	99.290
N/A	279.270	N/A	N/A	N/A	N/A	N/A
	213.210	11//	11//	13/7	11//	1 1 1 / / /

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 27 of 71 PageID

#: 3996



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
PCP 1	5.000	1 of 1	4.520	N/A	N/A	90.440
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
PCP 1	10.000	1 of 1	10.040	N/A	N/A	100.380
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
PCP 1	20.000	1 of 1	23.530	N/A	N/A	117.660
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
PCP 1	40.000	1 of 1	36.640	N/A	N/A	91.590
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
PCP 1	100.000	1 of 1	99.720	N/A	N/A	99.720
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
PCP 1	200.000	1 of 1	200.630	N/A	N/A	100.310
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
PCP 2	5.000	1 of 1	4.180	N/A	N/A	83.540
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
PCP 2	10.000	1 of 1	11.260	N/A	N/A	112.640
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 28 of 71 PageID #: 3997



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	16.290	N/A	N/A	N/A	N/A	N/A
PCP 2	20.000	1 of 1	22.190	N/A	N/A	110.940
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
PCP 2	40.000	1 of 1	37.260	N/A	N/A	93.150
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
PCP 2	100.000	1 of 1	99.410	N/A	N/A	99.410
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
PCP 2	200.000	1 of 1	200.800	N/A	N/A	100.400
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	5.000	1 of 1	5.080	N/A	N/A	101.630
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	10.000	1 of 1	9.350	N/A	N/A	93.520
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	20.000	1 of 1	21.400	N/A	N/A	106.990
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	40.000	1 of 1	39.150	N/A	N/A	97.870
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	100.000	1 of 1	99.940	N/A	N/A	99.940
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	200.000	1 of 1	200.080	N/A	N/A	100.040
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 29 of 71 PageID #: 3998



Analyte Name	Expected Concentration	Number of	Mean	Standard	% CV	% Accuracy
		Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Pregabalin 2	5.000	1 of 1	5.280	N/A	N/A	105.660
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Pregabalin 2	10.000	1 of 1	9.610	N/A	N/A	96.120
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Pregabalin 2	20.000	1 of 1	20.170	N/A	N/A	100.860
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Pregabalin 2	40.000	1 of 1	37.840	N/A	N/A	94.610
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Pregabalin 2	100.000	1 of 1	103.410	N/A	N/A	103.410
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Pregabalin 2	200.000	1 of 1	198.670	N/A	N/A	99.340
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	5.000	1 of 1	5.110	N/A	N/A	102.290
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	10.000	1 of 1	9.630	N/A	N/A	96.310
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 30 of 71 PageID

#: 3999



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	20.000	1 of 1	20.860	N/A	N/A	104.290
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	40.000	1 of 1	38.240	N/A	N/A	95.600
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	100.000	1 of 1	101.880	N/A	N/A	101.880
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	200.000	1 of 1	199.260	N/A	N/A	99.630
N/A	279.270	N/A	N/A	N/A	N/A N/A	N/A
			N/A N/A	N/A N/A	N/A N/A	N/A N/A
N/A	466.700	N/A				
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	5.000	1 of 1	5.160	N/A	N/A	103.180
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	10.000	1 of 1	9.540	N/A	N/A	95.450
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
N/A	16.210	N/A	N/A	N/A	N/A	N/A
N/A	16.290	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	20.000	1 of 1	21.460	N/A	N/A	107.320
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
N/A	33.870	N/A	N/A	N/A	N/A	N/A
N/A	34.960	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	40.000	1 of 1	36.300	N/A	N/A	90.750
N/A	68.230	N/A	N/A	N/A	N/A	N/A
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	100.000	1 of 1	104.210	N/A	N/A	104.210
N/A	125.980	N/A	N/A	N/A	N/A	N/A
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A N/A	N/A	N/A	N/A N/A	N/A
Tapentadol 2						
	200.000	1 of 1	198.290	N/A	N/A	99.140
N/A	279.270	N/A	N/A	N/A	N/A	N/A
N/A	466.700	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 31 of 71 PageID

#: 4000



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
N/A	5.000	N/A	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
N/A	10.000	N/A	N/A	N/A	N/A	N/A
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
Tramadol 1	16.210	1 of 1	16.050	N/A	N/A	99.040
N/A	16.290	N/A	N/A	N/A	N/A	N/A
N/A	20.000	N/A	N/A	N/A	N/A	N/A
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
Tramadol 1	33.870	1 of 1	33.900	N/A	N/A	100.080
	34.960	N/A	N/A	N/A	N/A	N/A
N/A N/A	40.000	N/A	N/A	N/A	N/A	N/A
Tramadol 1	68.230	1 of 1	72.860	N/A	N/A	106.790
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
N/A	100.000	N/A	N/A	N/A	N/A	N/A
Tramadol 1	125.980	1 of 1	115.280	N/A	N/A	91.510
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
N/A	200.000	N/A	N/A	N/A	N/A	N/A
Tramadol 1	279.270	1 of 1	287.980	N/A	N/A	103.120
Tramadol 1	466.700	1 of 1	463.890	N/A	N/A	99.400
N/A	0.500	N/A	N/A	N/A	N/A	N/A
N/A	0.810	N/A	N/A	N/A	N/A	N/A
N/A	1.000	N/A	N/A	N/A	N/A	N/A
N/A	1.480	N/A	N/A	N/A	N/A	N/A
N/A	2.000	N/A	N/A	N/A	N/A	N/A
N/A	3.340	N/A	N/A	N/A	N/A	N/A
N/A	3.420	N/A	N/A	N/A	N/A	N/A
N/A	4.000	N/A	N/A	N/A	N/A	N/A
N/A	4.030	N/A	N/A	N/A	N/A	N/A
N/A	5.000	N/A	N/A	N/A	N/A	N/A
N/A	6.980	N/A	N/A	N/A	N/A	N/A
N/A	7.010	N/A	N/A	N/A	N/A	N/A
N/A	7.660	N/A	N/A	N/A	N/A	N/A
N/A	10.000	N/A	N/A	N/A	N/A	N/A
N/A	14.660	N/A	N/A	N/A	N/A	N/A
N/A	15.160	N/A	N/A	N/A	N/A	N/A
Tramadol 2	16.210	1 of 1	15.980	N/A	N/A	98.610

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 32 of 71 PageID

#: 4001



Created with Analyst Reporter Printed: 20/02/2023 12:43:27 PM

Analyte Name	Expected Concentration	Number of Values	Mean	Standard Deviation	% CV	% Accuracy
N/A	16.290	N/A	N/A	N/A	N/A	N/A
N/A	20.000	N/A	N/A	N/A	N/A	N/A
N/A	29.600	N/A	N/A	N/A	N/A	N/A
N/A	31.130	N/A	N/A	N/A	N/A	N/A
Tramadol 2	33.870	1 of 1	32.010	N/A	N/A	94.510
N/A	34.960	N/A	N/A	N/A	N/A	N/A
N/A	40.000	N/A	N/A	N/A	N/A	N/A
Tramadol 2	68.230	1 of 1	76.700	N/A	N/A	112.410
N/A	73.830	N/A	N/A	N/A	N/A	N/A
N/A	76.870	N/A	N/A	N/A	N/A	N/A
N/A	100.000	N/A	N/A	N/A	N/A	N/A
Tramadol 2	125.980	1 of 1	118.240	N/A	N/A	93.860
N/A	149.260	N/A	N/A	N/A	N/A	N/A
N/A	156.900	N/A	N/A	N/A	N/A	N/A
N/A	200.000	N/A	N/A	N/A	N/A	N/A
Tramadol 2	279.270	1 of 1	280.540	N/A	N/A	100.460
Tramadol 2	466.700	1 of 1	466.790	N/A	N/A	100.020

## **Quality Control Summary**

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 33 of 71 PageID

#: 4002



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
Buprenorphine 1	1.500	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	2.430	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	3.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	4.670	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	6.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	9.760	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	11.280	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	12.200	2 of 2	13.650	0.450	3.280	111.880
Buprenorphine 1	15.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	22.360	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	24.280	2 of 2	29.300	5.130	17.510	120.680
Buprenorphine 1	30.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	45.460	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	47.820	2 of 2	50.630	5.370	10.610	105.880
Buprenorphine 1	55.730	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	60.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	101.780	N/A	N/A	N/A	N/A	N/A
Buprenorphine 1	190.360	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	1.500	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	2.430	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	3.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	4.670	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	6.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	9.760	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	11.280	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	12.200	2 of 2	13.750	1.970	14.330	112.730
Buprenorphine 2	15.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	22.360	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	24.280	2 of 2	27.520	4.510	16.400	113.340
Buprenorphine 2	30.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	45.460	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	47.820	2 of 2	49.530	4.340	8.770	103.580
Buprenorphine 2	55.730	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	60.000	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	101.780	N/A	N/A	N/A	N/A	N/A
Buprenorphine 2	190.360	N/A	N/A	N/A	N/A	N/A
EDDP 1	1.500	N/A	N/A	N/A	N/A	N/A
EDDP 1	2.430	N/A	N/A	N/A	N/A	N/A
EDDP 1	3.000	N/A	N/A	N/A	N/A	N/A
EDDP 1	4.670	N/A	N/A	N/A	N/A	N/A
EDDP 1	6.000	N/A	N/A	N/A	N/A	N/A
EDDP 1	9.760	N/A	N/A	N/A	N/A	N/A
EDDP 1	11.280	N/A	N/A	N/A	N/A	N/A
EDDP 1	12.200	N/A	N/A	N/A	N/A	N/A
EDDP 1	15.000	2 of 2	15.020	0.340	2.260	100.110
EDDP 1	22.360	N/A	N/A	N/A	N/A	N/A
EDDP 1	24.280	N/A	N/A	N/A	N/A	N/A
EDDP 1	30.000	2 of 2	34.420	3.400	9.870	114.720
EDDP 1	45.460	N/A	N/A	N/A	N/A	N/A
EDDP 1	47.820	N/A	N/A	N/A	N/A	N/A
EDDP 1	55.730	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 34 of 71 PageID

#: 4003



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
EDDP 1	60.000	2 of 2	64.290	3.620	5.630	107.160
EDDP 1	101.780	N/A	N/A	N/A	N/A	N/A
EDDP 1	190.360	N/A	N/A	N/A	N/A	N/A
EDDP 2	1.500	N/A	N/A	N/A	N/A	N/A
EDDP 2	2.430	N/A	N/A	N/A	N/A	N/A
EDDP 2	3.000	N/A	N/A	N/A	N/A	N/A
EDDP 2	4.670	N/A	N/A	N/A	N/A	N/A
EDDP 2	6.000	N/A	N/A	N/A	N/A	N/A
EDDP 2	9.760	N/A	N/A	N/A	N/A	N/A
EDDP 2	11.280	N/A	N/A	N/A	N/A	N/A
EDDP 2	12.200	N/A	N/A	N/A	N/A	N/A
EDDP 2	15.000	2 of 2	13.750	0.110	0.810	91.670
EDDP 2	22.360	N/A	N/A	N/A	N/A	N/A
EDDP 2	24.280	N/A	N/A	N/A	N/A	N/A
EDDP 2	30.000	2 of 2	33.930	2.810	8.270	113.090
EDDP 2	45.460	N/A	N/A	N/A	N/A	N/A
EDDP 2	47.820	N/A	N/A	N/A	N/A	N/A
EDDP 2	55.730	N/A	N/A	N/A	N/A	N/A
EDDP 2	60.000	2 of 2	67.690	8.050	11.900	112.820
EDDP 2	101.780	N/A	N/A	N/A	N/A	N/A
EDDP 2	190.360	N/A N/A	N/A	N/A	N/A	N/A
Fentanyl 1	1.500	2 of 2	1.340	0.030	2.160	89.570
Fentanyl 1						
	2.430	N/A 2 of 2	N/A 3.280	N/A 0.410	N/A	N/A 109.460
Fentanyl 1	3.000				12.620	
Fentanyl 1	4.670	N/A 2 of 2	N/A 6.250	N/A 0.120	N/A 1.950	N/A
Fentanyl 1	6.000					104.130
Fentanyl 1	9.760	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	11.280	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	12.200	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	15.000	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	22.360	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	24.280	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	30.000	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	45.460	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	47.820	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	55.730	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	60.000	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	101.780	N/A	N/A	N/A	N/A	N/A
Fentanyl 1	190.360	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	1.500	2 of 2	1.670	0.040	2.270	111.250
Fentanyl 2	2.430	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	3.000	2 of 2	3.880	0.500	12.870	129.440
Fentanyl 2	4.670	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	6.000	2 of 2	6.830	0.540	7.910	113.770
Fentanyl 2	9.760	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	11.280	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	12.200	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	15.000	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	22.360	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	24.280	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	30.000	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 35 of 71 PageID #: 4004



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
Fentanyl 2	45.460	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	47.820	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	55.730	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	60.000	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	101.780	N/A	N/A	N/A	N/A	N/A
Fentanyl 2	190.360	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	1.500	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	2.430	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	3.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	4.670	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	6.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	9.760	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	11.280	2 of 2	10.840	0.890	8.220	96.060
Gabapentin 1	12.200	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	15.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	22.360	2 of 2	24.220	0.910	3.760	108.340
Gabapentin 1	24.280	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	30.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	45.460	2 of 2	45.130	1.820	4.040	99.280
Gabapentin 1	47.820	N/A	N/A	N/A	N/A	N/A
	55.730	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	60.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 1	101.780	N/A	N/A	N/A	N/A	N/A
Gabapentin 1		N/A	N/A	N/A	N/A	N/A
Gabapentin 1	190.360	N/A N/A	N/A	N/A	N/A	N/A
Gabapentin 2	1.500		N/A	N/A	N/A	N/A
Gabapentin 2	2.430	N/A				
Gabapentin 2	3.000	N/A	N/A	N/A	N/A	N/A N/A
Gabapentin 2	4.670	N/A	N/A	N/A	N/A	
Gabapentin 2	6.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	9.760	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	11.280	2 of 2	11.870	1.240	10.440	105.240
Gabapentin 2	12.200	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	15.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	22.360	2 of 2	25.020	0.600	2.410	111.910
Gabapentin 2	24.280	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	30.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	45.460	2 of 2	44.700	2.770	6.200	98.330
Gabapentin 2	47.820	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	55.730	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	60.000	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	101.780	N/A	N/A	N/A	N/A	N/A
Gabapentin 2	190.360	N/A	N/A	N/A	N/A	N/A
Ketamine 1	1.500	N/A	N/A	N/A	N/A	N/A
Ketamine 1	2.430	N/A	N/A	N/A	N/A	N/A
Ketamine 1	3.000	N/A	N/A	N/A	N/A	N/A
Ketamine 1	4.670	N/A	N/A	N/A	N/A	N/A
Ketamine 1	6.000	N/A	N/A	N/A	N/A	N/A
Ketamine 1	9.760	N/A	N/A	N/A	N/A	N/A
Ketamine 1	11.280	N/A	N/A	N/A	N/A	N/A
Ketamine 1	12.200	N/A	N/A	N/A	N/A	N/A
Ketamine 1	15.000	2 of 2	14.700	0.770	5.250	97.970

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 36 of 71 PageID

#: 4005



Analyte Name	Expected Concentration	Number of	Mean	Standard	% CV	% Accuracy
		Values		Deviation		
Ketamine 1	22.360	N/A	N/A	N/A	N/A	N/A
Ketamine 1	24.280	N/A	N/A	N/A	N/A	N/A
Ketamine 1	30.000	2 of 2	33.500	2.940	8.770	111.660
Ketamine 1	45.460	N/A	N/A	N/A	N/A	N/A
Ketamine 1	47.820	N/A	N/A	N/A	N/A	N/A
Ketamine 1	55.730	N/A	N/A	N/A	N/A	N/A
Ketamine 1	60.000	2 of 2	63.830	2.180	3.420	106.380
Ketamine 1	101.780	N/A	N/A	N/A	N/A	N/A
Ketamine 1	190.360	N/A	N/A	N/A	N/A	N/A
Ketamine 2	1.500	N/A	N/A	N/A	N/A	N/A
Ketamine 2	2.430	N/A	N/A	N/A	N/A	N/A
Ketamine 2	3.000	N/A	N/A	N/A	N/A	N/A
Ketamine 2	4.670	N/A	N/A	N/A	N/A	N/A
Ketamine 2	6.000	N/A	N/A	N/A	N/A	N/A
Ketamine 2	9.760	N/A	N/A	N/A	N/A	N/A
Ketamine 2	11.280	N/A	N/A	N/A	N/A	N/A
Ketamine 2	12.200	N/A	N/A	N/A	N/A	N/A
Ketamine 2	15.000	2 of 2	14.170	1.100	7.740	94.450
Ketamine 2	22.360	N/A	N/A	N/A	N/A	N/A
Ketamine 2	24.280	N/A	N/A	N/A	N/A	N/A
Ketamine 2	30.000	2 of 2	34.520	1.070	3.110	115.070
Ketamine 2	45.460	N/A	N/A	N/A	N/A	N/A
Ketamine 2	47.820	N/A	N/A	N/A	N/A	N/A
Ketamine 2	55.730	N/A	N/A	N/A	N/A	N/A
Ketamine 2	60.000	2 of 2	64.750	1.230	1.910	107.920
	101.780	N/A		N/A		
Ketamine 2 Ketamine 2	190.360	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A
	1.500	N/A N/A		N/A N/A		
Meperidine 1			N/A		N/A	N/A
Meperidine 1	2.430	N/A	N/A	N/A	N/A	N/A
Meperidine 1	3.000	N/A	N/A	N/A	N/A	N/A
Meperidine 1	4.670	N/A	N/A	N/A	N/A	N/A
Meperidine 1	6.000	N/A	N/A	N/A	N/A	N/A
Meperidine 1	9.760	N/A	N/A	N/A	N/A	N/A
Meperidine 1	11.280	N/A	N/A	N/A	N/A	N/A
Meperidine 1	12.200	N/A	N/A	N/A	N/A	N/A
Meperidine 1	15.000	2 of 2	14.640	0.190	1.310	97.610
Meperidine 1	22.360	N/A	N/A	N/A	N/A	N/A
Meperidine 1	24.280	N/A	N/A	N/A	N/A	N/A
Meperidine 1	30.000	2 of 2	27.890	0.140	0.500	92.960
Meperidine 1	45.460	N/A	N/A	N/A	N/A	N/A
Meperidine 1	47.820	N/A	N/A	N/A	N/A	N/A
Meperidine 1	55.730	N/A	N/A	N/A	N/A	N/A
Meperidine 1	60.000	2 of 2	50.190	1.950	3.890	83.650
Meperidine 1	101.780	N/A	N/A	N/A	N/A	N/A
Meperidine 1	190.360	N/A	N/A	N/A	N/A	N/A
Meperidine 2	1.500	N/A	N/A	N/A	N/A	N/A
Meperidine 2	2.430	N/A	N/A	N/A	N/A	N/A
Meperidine 2	3.000	N/A	N/A	N/A	N/A	N/A
Meperidine 2	4.670	N/A	N/A	N/A	N/A	N/A
Meperidine 2	6.000	N/A	N/A	N/A	N/A	N/A
Meperidine 2	9.760	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 37 of 71 PageID #: 4006



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
Meperidine 2	11.280	N/A	N/A	N/A	N/A	N/A
Meperidine 2	12.200	N/A	N/A	N/A	N/A	N/A
Meperidine 2	15.000	2 of 2	14.000	1.550	11.050	93.340
Meperidine 2	22.360	N/A	N/A	N/A	N/A	N/A
Meperidine 2	24.280	N/A	N/A	N/A	N/A	N/A
Meperidine 2	30.000	2 of 2	26.270	0.990	3.770	87.580
Meperidine 2	45.460	N/A	N/A	N/A	N/A	N/A
Meperidine 2	47.820	N/A	N/A	N/A	N/A	N/A
Meperidine 2	55.730	N/A	N/A	N/A	N/A	N/A
Meperidine 2	60.000	2 of 2	53.460	5.430	10.160	89.100
Meperidine 2	101.780	N/A	N/A	N/A	N/A	N/A
Meperidine 2	190.360	N/A	N/A	N/A	N/A	N/A
Methadone 1	1.500	N/A	N/A	N/A	N/A	N/A
Methadone 1	2.430	N/A	N/A	N/A	N/A	N/A
Methadone 1	3.000	N/A	N/A	N/A	N/A	N/A
Methadone 1	4.670	N/A	N/A	N/A	N/A	N/A
Methadone 1	6.000	N/A	N/A	N/A	N/A	N/A
Methadone 1	9.760	N/A	N/A	N/A	N/A	N/A
Methadone 1	11.280	N/A	N/A	N/A	N/A	N/A
Methadone 1	12.200	N/A	N/A	N/A	N/A	N/A
Methadone 1	15.000	2 of 2	14.120	0.450	3.200	94.110
Methadone 1	22.360	N/A	N/A	N/A	N/A	N/A
Methadone 1	24.280	N/A	N/A	N/A	N/A	N/A
Methadone 1	30.000	2 of 2	31.930	0.870	2.740	106.430
Methadone 1	45.460	N/A	N/A	N/A	N/A	N/A
Methadone 1	47.820	N/A	N/A	N/A	N/A	N/A
Methadone 1	55.730	N/A	N/A	N/A	N/A	N/A
Methadone 1	60.000	2 of 2	63.260	1.550	2.450	105.430
Methadone 1	101.780	N/A	N/A	N/A	N/A	N/A
Methadone 1	190.360	N/A	N/A	N/A	N/A	N/A
Methadone 2	1.500	N/A	N/A	N/A	N/A	N/A
Methadone 2	2.430	N/A	N/A	N/A	N/A	N/A
Methadone 2	3.000	N/A	N/A	N/A	N/A	N/A
Methadone 2	4.670	N/A	N/A	N/A	N/A	N/A
Methadone 2	6.000	N/A	N/A	N/A	N/A	N/A
Methadone 2	9.760	N/A	N/A	N/A	N/A	N/A
Methadone 2	11.280	N/A	N/A	N/A	N/A	N/A
Methadone 2	12.200	N/A	N/A	N/A	N/A	N/A
Methadone 2	15.000	2 of 2	13.750	0.540	3.920	91.690
Methadone 2	22.360	N/A	N/A	N/A	N/A	N/A
Methadone 2	24.280	N/A	N/A	N/A	N/A	N/A
Methadone 2	30.000	2 of 2	35.340	3.320	9.380	117.810
Methadone 2	45.460	N/A	N/A	N/A	N/A	N/A
Methadone 2	47.820	N/A	N/A	N/A	N/A	N/A
Methadone 2	55.730	N/A	N/A	N/A	N/A	N/A
Methadone 2	60.000	2 of 2	61.380	1.210	1.970	102.310
Methadone 2	101.780	N/A	N/A	N/A	N/A	N/A
Methadone 2	190.360	N/A	N/A	N/A	N/A	N/A
Naloxone 1	1.500	N/A	N/A	N/A	N/A	N/A
Naloxone 1	2.430	N/A	N/A	N/A	N/A	N/A
Naloxone 1	3.000	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 38 of 71 PageID

#: 4007



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
Naloxone 1	4.670	N/A	N/A	N/A	N/A	N/A
Naloxone 1	6.000	N/A	N/A	N/A	N/A	N/A
Naloxone 1	9.760	N/A	N/A	N/A	N/A	N/A
Naloxone 1	11.280	N/A	N/A	N/A	N/A	N/A
Naloxone 1	12.200	N/A	N/A	N/A	N/A	N/A
Naloxone 1	15.000	2 of 2	15.000	1.490	9.910	100.010
Naloxone 1	22.360	N/A	N/A	N/A	N/A	N/A
Naloxone 1	24.280	N/A	N/A	N/A	N/A	N/A
Naloxone 1	30.000	2 of 2	31.810	0.330	1.040	106.040
Naloxone 1	45.460	N/A	N/A	N/A	N/A	N/A
Naloxone 1	47.820	N/A	N/A	N/A	N/A	N/A
Naloxone 1	55.730	N/A	N/A	N/A	N/A	N/A
Naloxone 1	60.000	2 of 2	63.170	8.970	14.200	105.280
Naloxone 1	101.780	N/A	N/A	N/A	N/A	N/A
Naloxone 1	190.360	N/A	N/A	N/A	N/A	N/A
Naloxone 2	1.500	N/A	N/A	N/A	N/A	N/A
		N/A N/A	N/A	N/A N/A	N/A N/A	
Naloxone 2	2.430					N/A
Naloxone 2	3.000	N/A	N/A	N/A	N/A	N/A
Naloxone 2	4.670	N/A	N/A	N/A	N/A	N/A
Naloxone 2	6.000	N/A	N/A	N/A	N/A	N/A
Naloxone 2	9.760	N/A	N/A	N/A	N/A	N/A
Naloxone 2	11.280	N/A	N/A	N/A	N/A	N/A
Naloxone 2	12.200	N/A	N/A	N/A	N/A	N/A
Naloxone 2	15.000	2 of 2	19.440	10.080	51.870	129.620
Naloxone 2	22.360	N/A	N/A	N/A	N/A	N/A
Naloxone 2	24.280	N/A	N/A	N/A	N/A	N/A
Naloxone 2	30.000	2 of 2	30.070	4.110	13.680	100.220
Naloxone 2	45.460	N/A	N/A	N/A	N/A	N/A
Naloxone 2	47.820	N/A	N/A	N/A	N/A	N/A
Naloxone 2	55.730	N/A	N/A	N/A	N/A	N/A
Naloxone 2	60.000	2 of 2	59.290	13.010	21.940	98.810
Naloxone 2	101.780	N/A	N/A	N/A	N/A	N/A
Naloxone 2	190.360	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	1.500	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	2.430	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	3.000	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	4.670	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	6.000	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	9.760	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	11.280	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	12.200	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	15.000	0 of 2	N/A	N/A	N/A	N/A
Naltrexone 2	22.360	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	24.280	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	30.000	2 of 2	33.660	1.700	5.040	112.210
Naltrexone 2	45.460	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	47.820	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	55.730	N/A	N/A	N/A	N/A	N/A
Naltrexone 2	60.000	2 of 2	61.800	7.400	11.980	103.000
Naltrexone 2	101.780	N/A	N/A	N/A	N/A	N/A
THURSDAY &	101.700	I N//	I W/A	14/7	13//	14/7

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 39 of 71 PageID

#: 4008



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
Naltrexone 1	1.500	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	2.430	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	3.000	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	4.670	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	6.000	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	9.760	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	11.280	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	12.200	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	15.000	0 of 2	N/A	N/A	N/A	N/A
Naltrexone 1	22.360	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	24.280	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	30.000	2 of 2	33.060	1.370	4.160	110.190
Naltrexone 1	45.460	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	47.820	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	55.730	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	60.000	2 of 2	57.900	4.800	8.290	96.500
Naltrexone 1	101.780	N/A	N/A	N/A	N/A	N/A
Naltrexone 1	190.360	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	1.500	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	2.430	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	3.000	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	4.670	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	6.000	N/A	N/A	N/A	N/A	N/A
	9.760	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	11.280	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	12.200	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	15.000	2 of 2	14.740	2.740	18.570	98.260
Norbuprenorphine 1	22.360	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1		N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	24.280					104.930
Norbuprenorphine 1	30.000	2 of 2	31.480	7.410	23.540 N/A	
Norbuprenorphine 1	45.460	N/A	N/A	N/A N/A		N/A N/A
Norbuprenorphine 1	47.820	N/A	N/A	N/A N/A	N/A	
Norbuprenorphine 1	55.730	N/A	N/A		N/A	N/A
Norbuprenorphine 1	60.000	2 of 2	58.850	3.990	6.790	98.090
Norbuprenorphine 1	101.780	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 1	190.360	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	1.500	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	2.430	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	3.000	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	4.670	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	6.000	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	9.760	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	11.280	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	12.200	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	15.000	2 of 2	14.770	0.060	0.420	98.490
Norbuprenorphine 2	22.360	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	24.280	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	30.000	2 of 2	31.780	10.170	32.010	105.920
Norbuprenorphine 2	45.460	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	47.820	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	55.730	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 40 of 71 PageID

#: 4009



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
Norbuprenorphine 2	60.000	2 of 2	57.570	10.040	17.440	95.950
Norbuprenorphine 2	101.780	N/A	N/A	N/A	N/A	N/A
Norbuprenorphine 2	190.360	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	1.500	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	2.430	2 of 2	2.390	0.450	18.710	98.380
Norfentanyl 1	3.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	4.670	2 of 2	4.980	0.270	5.510	106.630
Norfentanyl 1	6.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	9.760	2 of 2	9.320	1.570	16.870	95.470
Norfentanyl 1	11.280	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	12.200	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	15.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	22.360	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	24.280	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	30.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	45.460	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	47.820	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	55.730	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	60.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	101.780	N/A	N/A	N/A	N/A	N/A
Norfentanyl 1	190.360	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	1.500	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	2.430	2 of 2	2.340	0.060	2.670	96.230
Norfentanyl 2	3.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	4.670	2 of 2	5.990	0.850	14.270	128.160
Norfentanyl 2	6.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	9.760	2 of 2	8.230	2.040	24.780	84.270
Norfentanyl 2	11.280	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	12.200	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	15.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	22.360	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	24.280	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	30.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	45.460	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	47.820	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	55.730	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	60.000	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	101.780	N/A	N/A	N/A	N/A	N/A
Norfentanyl 2	190.360	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	1.500	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	2.430	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	3.000	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	4.670	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	6.000	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	9.760	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	11.280	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	12.200	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	15.000	2 of 2	14.560	2.520	17.310	97.090
Normeperidine 1	22.360	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	24.280	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	30.000	2 of 2	29.920	1.370	4.580	99.740

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 41 of 71 PageID

#: 4010



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
Normeperidine 1	45.460	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	47.820	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	55.730	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	60.000	2 of 2	59.230	4.420	7.470	98.720
Normeperidine 1	101.780	N/A	N/A	N/A	N/A	N/A
Normeperidine 1	190.360	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	1.500	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	2.430	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	3.000	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	4.670	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	6.000	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	9.760	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	11.280	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	12.200	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	15.000	2 of 2	10.380	0.670	6.500	69.180
Normeperidine 2	22.360	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	24.280	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	30.000	2 of 2	29.930	5.150	17.220	99.770
Normeperidine 2	45.460	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	47.820	N/A	N/A	N/A	N/A	N/A
Normeperidine 2	55.730	N/A	N/A	N/A	N/A	N/A
	60.000	2 of 2	59.100	1.600	2.710	98.500
Normeperidine 2		N/A	N/A	N/A	N/A	N/A
Normeperidine 2	101.780		N/A	N/A	N/A	N/A
Normeperidine 2	190.360	N/A		N/A N/A	N/A	N/A
PCP 1	1.500	N/A	N/A			
PCP 1	2.430	N/A	N/A	N/A	N/A	N/A
PCP 1	3.000	N/A	N/A	N/A	N/A	N/A
PCP 1	4.670	N/A	N/A	N/A	N/A	N/A
PCP 1	6.000	N/A	N/A	N/A	N/A	N/A
PCP 1	9.760	N/A	N/A	N/A	N/A	N/A
PCP 1	11.280	N/A	N/A	N/A	N/A	N/A
PCP 1	12.200	N/A	N/A	N/A	N/A	N/A
PCP 1	15.000	2 of 2	14.100	3.660	25.970	94.030
PCP 1	22.360	N/A	N/A	N/A	N/A	N/A
PCP 1	24.280	N/A	N/A	N/A	N/A	N/A
PCP 1	30.000	2 of 2	27.220	3.200	11.750	90.730
PCP 1	45.460	N/A	N/A	N/A	N/A	N/A
PCP 1	47.820	N/A	N/A	N/A	N/A	N/A
PCP 1	55.730	N/A	N/A	N/A	N/A	N/A
PCP 1	60.000	2 of 2	57.710	8.820	15.290	96.190
PCP 1	101.780	N/A	N/A	N/A	N/A	N/A
PCP 1	190.360	N/A	N/A	N/A	N/A	N/A
PCP 2	1.500	N/A	N/A	N/A	N/A	N/A
PCP 2	2.430	N/A	N/A	N/A	N/A	N/A
PCP 2	3.000	N/A	N/A	N/A	N/A	N/A
PCP 2	4.670	N/A	N/A	N/A	N/A	N/A
PCP 2	6.000	N/A	N/A	N/A	N/A	N/A
PCP 2	9.760	N/A	N/A	N/A	N/A	N/A
PCP 2	11.280	N/A	N/A	N/A	N/A	N/A
PCP 2	12.200	N/A	N/A	N/A	N/A	N/A
PCP 2	15.000	2 of 2	14.890	4.210	28.240	99.280

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 42 of 71 PageID #: 4011



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
PCP 2	22.360	N/A	N/A	N/A	N/A	N/A
PCP 2	24.280	N/A	N/A	N/A	N/A	N/A
PCP 2	30.000	2 of 2	26.030	2.380	9.150	86.770
PCP 2	45.460	N/A	N/A	N/A	N/A	N/A
PCP 2	47.820	N/A	N/A	N/A	N/A	N/A
PCP 2	55.730	N/A	N/A	N/A	N/A	N/A
PCP 2	60.000	2 of 2	54.980	10.590	19.260	91.640
PCP 2	101.780	N/A	N/A	N/A	N/A	N/A
PCP 2	190.360	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	1.500	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	2.430	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	3.000	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	4.670	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	6.000	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	9.760	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	11.280	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	12.200	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	15.000	2 of 2	13.700	0.660	4.800	91.320
Pregabalin 1	22.360	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	24.280	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	30.000	2 of 2	32.670	0.110	0.350	108.910
Pregabalin 1	45.460	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	47.820	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	55.730	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	60.000	2 of 2	60.770	1.630	2.680	101.280
Pregabalin 1	101.780	N/A	N/A	N/A	N/A	N/A
Pregabalin 1	190.360	N/A N/A	N/A	N/A	N/A N/A	N/A
Pregabalin 2	1.500	N/A	N/A	N/A	N/A N/A	N/A
Pregabalin 2	2.430	N/A N/A	N/A	N/A	N/A N/A	N/A
Pregabalin 2	3.000	N/A	N/A	N/A		
Pregabalin 2	4.670	N/A N/A	N/A	N/A N/A	N/A N/A	N/A N/A
Pregabalin 2	6.000	N/A N/A	N/A	N/A	N/A N/A	N/A
Pregabalin 2	9.760	N/A N/A	N/A	N/A	N/A	N/A
Pregabalin 2	11.280	N/A N/A	N/A	N/A	N/A N/A	N/A
Pregabalin 2	12.200	N/A N/A	N/A	N/A	N/A	N/A
Pregabalin 2	15.000	2 of 2	13.740	0.480	3.480	91.620
Pregabalin 2	22.360					
Pregabalin 2	24.280	N/A	N/A	N/A	N/A	N/A
	30.000	N/A	N/A	N/A	N/A	N/A
Pregabalin 2		2 of 2	31.830	4.680	14.710	106.100
Pregabalin 2 Pregabalin 2	45.460	N/A	N/A	N/A	N/A	N/A
	47.820	N/A	N/A	N/A	N/A	N/A
Pregabalin 2	55.730	N/A	N/A 58.260	N/A	N/A	N/A
Pregabalin 2	60.000	2 of 2		0.700	1.200	97.100
Pregabalin 2	101.780	N/A	N/A	N/A	N/A	N/A
Pregabalin 2	190.360	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	1.500	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	2.430	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	3.000	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	4.670	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	6.000	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	9.760	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 43 of 71 PageID

#: 4012



Analyte Name	Expected	Number of	Mean	Standard	% CV	% Accuracy
	Concentration	Values		Deviation		
Tapentadol 1	11.280	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	12.200	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	15.000	2 of 2	14.070	1.320	9.410	93.810
Tapentadol 1	22.360	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	24.280	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	30.000	2 of 2	31.910	6.290	19.700	106.370
Tapentadol 1	45.460	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	47.820	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	55.730	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	60.000	2 of 2	60.750	2.340	3.850	101.240
Tapentadol 1	101.780	N/A	N/A	N/A	N/A	N/A
Tapentadol 1	190.360	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	1.500	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	2.430	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	3.000	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	4.670	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	6.000	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	9.760	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	11.280	N/A	N/A	N/A	N/A	N/A
	12.200	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	15.000		14.580	0.540	3.690	97.170
Tapentadol 2		2 of 2				
Tapentadol 2	22.360	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	24.280	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	30.000	2 of 2	32.070	3.240	10.110	106.890
Tapentadol 2	45.460	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	47.820	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	55.730	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	60.000	2 of 2	62.030	4.480	7.220	103.380
Tapentadol 2	101.780	N/A	N/A	N/A	N/A	N/A
Tapentadol 2	190.360	N/A	N/A	N/A	N/A	N/A
Tramadol 1	1.500	N/A	N/A	N/A	N/A	N/A
Tramadol 1	2.430	N/A	N/A	N/A	N/A	N/A
Tramadol 1	3.000	N/A	N/A	N/A	N/A	N/A
Tramadol 1	4.670	N/A	N/A	N/A	N/A	N/A
Tramadol 1	6.000	N/A	N/A	N/A	N/A	N/A
Tramadol 1	9.760	N/A	N/A	N/A	N/A	N/A
Tramadol 1	11.280	N/A	N/A	N/A	N/A	N/A
Tramadol 1	12.200	N/A	N/A	N/A	N/A	N/A
Tramadol 1	15.000	N/A	N/A	N/A	N/A	N/A
Tramadol 1	22.360	N/A	N/A	N/A	N/A	N/A
Tramadol 1	24.280	N/A	N/A	N/A	N/A	N/A
Tramadol 1	30.000	N/A	N/A	N/A	N/A	N/A
Tramadol 1	45.460	N/A	N/A	N/A	N/A	N/A
Tramadol 1	47.820	N/A	N/A	N/A	N/A	N/A
Tramadol 1	55.730	2 of 2	49.520	0.780	1.570	88.860
Tramadol 1	60.000	N/A	N/A	N/A	N/A	N/A
Tramadol 1	101.780	2 of 2	107.750	13.030	12.090	105.870
Tramadol 1	190.360	2 of 2	192.120	3.230	1.680	100.930
Tramadol 2	1.500	N/A	N/A	N/A	N/A	N/A
Tramadol 2	2.430	N/A	N/A	N/A	N/A	N/A
Tramadol 2	3.000	N/A	N/A	N/A	N/A	N/A

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 44 of 71 PageID

#: 4013



Created with Analyst Reporter Printed: 20/02/2023 12:43:27 PM

Analyte Name	Expected Concentration	Number of Values	Mean	Standard	% CV	% Accuracy
				Deviation		
Tramadol 2	4.670	N/A	N/A	N/A	N/A	N/A
Tramadol 2	6.000	N/A	N/A	N/A	N/A	N/A
Tramadol 2	9.760	N/A	N/A	N/A	N/A	N/A
Tramadol 2	11.280	N/A	N/A	N/A	N/A	N/A
Tramadol 2	12.200	N/A	N/A	N/A	N/A	N/A
Tramadol 2	15.000	N/A	N/A	N/A	N/A	N/A
Tramadol 2	22.360	N/A	N/A	N/A	N/A	N/A
Tramadol 2	24.280	N/A	N/A	N/A	N/A	N/A
Tramadol 2	30.000	N/A	N/A	N/A	N/A	N/A
Tramadol 2	45.460	N/A	N/A	N/A	N/A	N/A
Tramadol 2	47.820	N/A	N/A	N/A	N/A	N/A
Tramadol 2	55.730	2 of 2	46.610	1.540	3.300	83.640
Tramadol 2	60.000	N/A	N/A	N/A	N/A	N/A
Tramadol 2	101.780	2 of 2	103.040	13.720	13.310	101.240
Tramadol 2	190.360	2 of 2	199.260	24.460	12.270	104.680

## **Blanks**

Sample Name	13151083-212	Injection Vial	62
Data File	BA20210115175.wiff	Injection Volume	20.00
Acquisition Date	1/16/2021 12:06:43 PM	Algorithm Used	MQ4
Acquisition Method	Oral Fluid Specialty 2019.dam	Sample Type	Unknown
Instrument Name	4000 Q TRAP	Result Table	BA20210115175_YK
Sample ID		Dilution Factor	1.00
Sample Comment		Weight to Volume	N/A

Internal Standard	Area (cps)	RT (min)	Target conc. ()	Calc. Conc.
Fentanyl-d5.IS	1.404e5	3.36	1.00	-
Gabapentin-d10.IS	2.595e5	1.77	1.00	-
Meperidine-d4.IS	2.275e4	3.09	1.00	-
Methadone-d3.IS	2.170e4	3.68	1.00	-
Pregabalin-d6.IS	2.998e5	1.74	1.00	-
Buprenorphine-d5.IS	5.312e3	3.49	1.00	-
O-desmethyltramadol-d6.IS	4.890e4	2.09	1.00	-
PCP.IS	3.390e3	3.29	1.00	-


Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 45 of 71 PageID

#: 4014




Target Analyte	Area (cps)	RT (min)	Target conc.	Calc. Conc.
Buprenorphine 1	N/A	N/A	()   N/A	N/A
Buprenorphine 2	N/A	N/A	N/A	N/A
EDDP 1	N/A	N/A	N/A	N/A
EDDP 2	N/A	N/A	N/A	N/A
Fentanyl 1	N/A	N/A	N/A	N/A
Fentanyl 2	N/A	N/A	N/A	N/A
	N/A	N/A	N/A	N/A
Gabapentin 1	N/A	N/A	N/A N/A	N/A N/A
Gabapentin 2		N/A	N/A N/A	N/A N/A
Ketamine 1	N/A			
Ketamine 2	N/A	N/A	N/A	N/A
Meperidine 1	N/A	N/A	N/A	N/A
Meperidine 2	N/A	N/A	N/A	N/A
Methadone 1	N/A	N/A	N/A	N/A
Methadone 2	N/A	N/A	N/A	N/A
Naloxone 1	N/A	N/A	N/A	N/A
Naloxone 2	N/A	N/A	N/A	N/A
Naltrexone 2	N/A	N/A	N/A	N/A
Naltrexone 1	N/A	N/A	N/A	N/A
Norbuprenorphine 1	N/A	N/A	N/A	N/A
Norbuprenorphine 2	N/A	N/A	N/A	N/A
Norfentanyl 1	N/A	N/A	N/A	N/A
Norfentanyl 2	N/A	N/A	N/A	N/A
Normeperidine 1	N/A	N/A	N/A	N/A
Normeperidine 2	N/A	N/A	N/A	N/A
PCP 1	N/A	N/A	N/A	N/A
PCP 2	N/A	N/A	N/A	N/A
Pregabalin 1	N/A	N/A	N/A	N/A
Pregabalin 2	N/A	N/A	N/A	N/A
Tapentadol 1	N/A	N/A	N/A	N/A
Tapentadol 2	N/A	N/A	N/A	N/A
Tramadol 1	N/A	N/A	N/A	N/A
Tramadol 2	N/A	N/A	N/A	N/A





Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 47 of 71 PageID #: 4016








Buprenorphine 1 (468.3 / 396.2)	50 N
RT (Exp. RT): N/A (3.52) min	
Calculated conc: N/A ng/ml	0
Area Ratio: N/A	3.0 3.5 4.0 Time, min
Buprenorphine 2 (468.3 / 414.3)	7 mile, mili
	20
RT (Exp. RT): N/A (3.52) min	$\sim$ $\sim$ $\sim$ $\sim$ $\sim$
Calculated conc: N/A ng/ml Area Ratio: N/A	3.0 3.5 4.0
Alea Ralio. N/A	Time, min
EDDP 1 (278.2 / 234.2)	20
RT (Exp. RT): N/A (3.46) min	20
Calculated conc: N/A ng/ml	o My My M
Area Ratio: N/A	3.0 3.5 4.0 Time, min
EDDP 2 (278.2 / 186.2)	
RT (Exp. RT): N/A (3.46) min	
Calculated conc: N/A ng/ml Area Ratio: N/A	3.0 3.5 4.0
Alca Natio. 14/A	Time, min
Fentanyl 1 (337.3 / 105.1)	
RT (Exp. RT): N/A (3.41) min	
Calculated conc: N/A ng/ml	0
Area Ratio: N/A	3.0 *3.5 4.0 Time, min
Fentanyl 2 (337.3 / 188.2)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
RT (Exp. RT): N/A (3.41) min	
Calculated conc: N/A ng/ml	
Area Ratio: N/A	3.0 3.5 4.0
	Time, min
Gabapentin 1 (172.1 / 154.1)	
RT (Exp. RT): N/A (1.84) min	
Calculated conc: N/A ng/ml	0 1.5 2.0
Area Ratio: N/A	Time, min








Naloxone 1 (328.2 / 212.0)	20 1 10 10000 1000
RT (Exp. RT): N/A (1.67) min	Mary Wash Jan
Calculated conc: N/A ng/ml	0 1 1 5 2 2 2 5 2 2 2 5
Area Ratio: N/A	1.5 2.0 2.5 3.0 3.5 Time, min
Naloxone 2 (328.2 / 253.0)	
RT (Exp. RT): N/A (1.67) min	20 MAN
Calculated conc: N/A ng/ml	1.5 2.0 2.5 3.0 3.5
Area Ratio: N/A	Time, min
Naltrexone 2 (342.2 / 267.1)	101
RT (Exp. RT): N/A (1.88) min	
Calculated conc: N/A ng/ml	0 1/1/1
Area Ratio: N/A	1.5 2.0 2.5 3.0 3.5 Time, min
Naltrexone 1 (342.2 / 212.1)	
RT (Exp. RT): N/A (1.88) min	10
Calculated conc: N/A ng/ml	1.5 2.0 2.5 3.0 3.5
Area Ratio: N/A	1.5 2.0 2.5 3.0 3.5 Time, min
Norbuprenorphine 1 (414.3 / 101.1)	2000
RT (Exp. RT): N/A (3.34) min	
Calculated conc: N/A ng/ml	0
Area Ratio: N/A	3.0 3.5 4.0 Time, min
Norbuprenorphine 2 (414.3 / 165.2)	1000   A
RT (Exp. RT): N/A (3.34) min	$\wedge$
Calculated conc: N/A ng/ml	0 20 525
Area Ratio: N/A	3.0 *3.5 4.0 Time, min
Norfentanyl 1 (233.2 / 84.1)	500
RT (Exp. RT): N/A (2.75) min	
Calculated conc: N/A ng/ml	0
Area Ratio: N/A	2.5 3.0 3.5 Time, min







Tapentadol 1 (222	2.2 / 107.1)	Λ.
RT (Exp. RT):	N/A (3.14) min	1 1 1 2 m N
Calculated conc:	N/A ng/ml	0
Area Ratio:	N/A	1.5 2.0 2.5 3.0 3.5
		Time, min
Tapentadol 2 (222	2.2 / 77.0)	5 1
RT (Exp. RT):	N/A (3.14) min	100
Calculated conc:	N/A ng/ml	0
Area Ratio:	N/A	1.5 2.0 2.5 3.0 3.5
		Time, min
Tramadol 1 (264.2	2 / 58.1)	
RT (Exp. RT): Calculated conc:	N/A (2.97) min N/A ng/ml	1.5 2.0 2.5 3.0 3.5
Area Ratio:	N/A	Time, min
Tromodol 2 (204 C	2 / 42 4)	
Tramadol 2 (264.2	2 / 42.1)	Λ
RT (Exp. RT):	N/A (2.97) min	Mark all
Calculated conc:	N/A ng/ml	0
Area Ratio:	N/A	1.5 2.0 2.5 3.0 3.5
		Time, min

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 53 of 71 PageID

#: 4022



Sample Name	13180793-218	Injection Vial	63
Data File	BA20210115175.wiff	Injection Volume	20.00
Acquisition Date	1/16/2021 12:15:25 PM	Algorithm Used	MQ4
Acquisition Method	Oral Fluid Specialty 2019.dam	Sample Type	Unknown
Instrument Name	4000 Q TRAP	Result Table	BA20210115175_YK
Sample ID		Dilution Factor	1.00
Sample Comment		Weight to Volume	N/A

Internal Standard	Area (cps)	RT (min)	Target conc. ()	Calc. Conc.
Fentanyl-d5.IS	1.454e5	3.36	1.00	-
Gabapentin-d10.IS	2.332e5	1.77	1.00	-
Meperidine-d4.IS	1.880e4	3.09	1.00	-
Methadone-d3.IS	2.660e4	3.67	1.00	-
Pregabalin-d6.IS	2.732e5	1.73	1.00	-
Buprenorphine-d5.IS	5.904e3	3.49	1.00	-
O-desmethyltramadol-d6.IS	3.563e4	2.08	1.00	-
PCP.IS	2.975e3	3.28	1.00	-


Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 54 of 71 PageID

#: 4023



Target Analyte	Area (cps)	RT (min)	Target conc.	Calc. Conc.
Buprenorphine 1	N/A	N/A	N/A	N/A
Buprenorphine 2	N/A	N/A	N/A	N/A
EDDP 1	N/A	N/A	N/A	N/A
EDDP 2	N/A	N/A	N/A	N/A
Fentanyl 1	N/A	N/A	N/A	N/A
Fentanyl 2	N/A	N/A	N/A	N/A
Gabapentin 1	N/A	N/A	N/A	N/A
Gabapentin 2	N/A	N/A	N/A	N/A
Ketamine 1	N/A	N/A	N/A	N/A
Ketamine 2	N/A	N/A	N/A	N/A
Meperidine 1	N/A	N/A	N/A	N/A
Meperidine 2	N/A	N/A	N/A	N/A
Methadone 1	N/A	N/A	N/A	N/A
Methadone 2	N/A	N/A	N/A	N/A
Naloxone 1	N/A	N/A	N/A	N/A
Naloxone 2	N/A	N/A	N/A	N/A
Naltrexone 2	N/A	N/A	N/A	N/A
Naltrexone 1	N/A	N/A	N/A	N/A
Norbuprenorphine 1	N/A	N/A	N/A	N/A
Norbuprenorphine 2	N/A	N/A	N/A	N/A
Norfentanyl 1	N/A	N/A	N/A	N/A
Norfentanyl 2	N/A	N/A	N/A	N/A
Normeperidine 1	N/A	N/A	N/A	N/A
Normeperidine 2	N/A	N/A	N/A	N/A
PCP 1	N/A	N/A	N/A	N/A
PCP 2	N/A	N/A	N/A	N/A
Pregabalin 1	N/A	N/A	N/A	N/A
Pregabalin 2	N/A	N/A	N/A	N/A
Tapentadol 1	N/A	N/A	N/A	N/A
Tapentadol 2	N/A	N/A	N/A	N/A
Tramadol 1	N/A	N/A	N/A	N/A
Tramadol 2	N/A	N/A	N/A	N/A







Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 56 of 71 PageID

#: 4025


























Tapentadol 1 (222	2.2 / 107.1)	100
RT (Exp. RT):	N/A (3.14) min	1 MMM MV
Calculated conc:	N/A ng/ml	1.5 2.0 2.5 3.0 3.5
Area Ratio:	N/A	1.5 2.0 2.5 3.0 3.5 Time, min
Tapentadol 2 (222	2.2 / 77.0)	100
RT (Exp. RT):	N/A (3.14) min	100
Calculated conc:	N/A ng/ml	1.5 2.0 2.5 3.0 3.5
Area Ratio:	N/A	1.5 2.0 2.5 3.0 3.5 Time, min
Tramadol 1 (264.2	2 / 58.1)	100
RT (Exp. RT):	N/A (2.97) min	
Calculated conc:	N/A ng/ml	0
Area Ratio:	N/A	1.5 2.0 2.5 3.0 3.5
		Time, min
Tramadol 2 (264.2	2 / 42.1)	Λ
RT (Exp. RT):	N/A (2.97) min	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Calculated conc:	N/A ng/ml	0
Area Ratio:	N/A	1.5 2.0 2.5 3.0 3.5 Time, min
		Tillie, Itili

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 62 of 71 PageID

#: 4031



Sample Name	13167535-213	Injection Vial	64
Data File	BA20210115175.wiff	Injection Volume	20.00
Acquisition Date	1/16/2021 12:24:07 PM	Algorithm Used	MQ4
Acquisition Method	Oral Fluid Specialty 2019.dam	Sample Type	Unknown
Instrument Name	4000 Q TRAP	Result Table	BA20210115175_YK
Sample ID		Dilution Factor	1.00
Sample Comment		Weight to Volume	N/A

Internal Standard	Area (cps)	RT (min)	Target conc. ()	Calc. Conc.
Fentanyl-d5.IS	1.515e5	3.36	1.00	-
Gabapentin-d10.IS	2.590e5	1.77	1.00	-
Meperidine-d4.IS	2.358e4	3.09	1.00	-
Methadone-d3.IS	2.772e4	3.67	1.00	-
Pregabalin-d6.IS	2.953e5	1.73	1.00	-
Buprenorphine-d5.IS	7.011e3	3.49	1.00	-
O-desmethyltramadol-d6.IS	5.196e4	2.08	1.00	-
PCP.IS	3.855e3	3.28	1.00	-


Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 63 of 71 PageID

#: 4032



Target Analyte	Area (cps)	RT (min)	Target conc.	Calc. Conc.
Buprenorphine 1	N/A	N/A	N/A	N/A
Buprenorphine 2	N/A	N/A	N/A	N/A
EDDP 1	N/A	N/A	N/A	N/A
EDDP 2	N/A	N/A	N/A	N/A
Fentanyl 1	1.989e+04	3.38	N/A	1.89
Fentanyl 2	2.250e+04	3.38	N/A	2.90
Gabapentin 1	N/A	N/A	N/A	N/A
Gabapentin 2	N/A	N/A	N/A	N/A
Ketamine 1	N/A	N/A	N/A	N/A
Ketamine 2	N/A	N/A	N/A	N/A
Meperidine 1	N/A	N/A	N/A	N/A
Meperidine 2	N/A	N/A	N/A	N/A
Methadone 1	N/A	N/A	N/A	N/A
Methadone 2	N/A	N/A	N/A	N/A
Naloxone 1	N/A	N/A	N/A	N/A
Naloxone 2	N/A	N/A	N/A	N/A
Naltrexone 2	N/A	N/A	N/A	N/A
Naltrexone 1	N/A	N/A	N/A	N/A
Norbuprenorphine 1	N/A	N/A	N/A	N/A
Norbuprenorphine 2	N/A	N/A	N/A	N/A
Norfentanyl 1	N/A	N/A	N/A	N/A
Norfentanyl 2	N/A	N/A	N/A	N/A
Normeperidine 1	N/A	N/A	N/A	N/A
Normeperidine 2	N/A	N/A	N/A	N/A
PCP 1	N/A	N/A	N/A	N/A
PCP 2	N/A	N/A	N/A	N/A
Pregabalin 1	N/A	N/A	N/A	N/A
Pregabalin 2	N/A	N/A	N/A	N/A
Tapentadol 1	N/A	N/A	N/A	N/A
Tapentadol 2	N/A	N/A	N/A	N/A
Tramadol 1	N/A	N/A	N/A	N/A
Tramadol 2	N/A	N/A	N/A	N/A







Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 65 of 71 PageID

#: 4034

















Naloxone 1 (328.2 / 212.0)	
RT (Exp. RT): N/A (1.67) min	Who are billy V
Calculated conc: N/A ng/ml	O M N MAN N N N N N N N N N N N N N N N N
Area Ratio: N/A	1.5 2.0 2.5 3.0 3.5
	Time, min
Naloxone 2 (328.2 / 253.0)	201,1
RT (Exp. RT): N/A (1.67) min	Will and a Mill
Calculated conc: N/A ng/ml	o W V V V V V V V V V V V V V V V V V V
Area Ratio: N/A	1.5 2.0 2.5 3.0 3.5
Naltrexone 2 (342.2 / 267.1)	Time, min
	10
RT (Exp. RT): N/A (1.88) min	A MA A HIV
Calculated conc: N/A ng/ml	1.5 2.0 2.5 3.0 3.5
Area Ratio: N/A	7.3 2.0 2.3 3.0 3.3 Time, min
Naltrexone 1 (342.2 / 212.1)	
RT (Exp. RT): N/A (1.88) min	10
	_1\
Calculated conc: N/A ng/ml Area Ratio: N/A	1.5 2.0 2.5 3.0 3.5
Alca Natio. IV/A	Time, min
Norbuprenorphine 1 (414.3 / 101.1)	1 /
RT (Exp. RT): N/A (3.34) min	1000
Calculated conc: N/A ng/ml	0
Area Ratio: N/A	3.0 3.5 4.0 4.5
	Time, min
Norbuprenorphine 2 (414.3 / 165.2)	N
RT (Exp. RT): N/A (3.34) min	10 // / / / / / / / / / / / / / / / / /
Calculated conc: N/A ng/ml	o La
Area Ratio: N/A	3.0 3.5 4.0 4.5 Time, min
Norfentanyl 1 (233.2 / 84.1)	Time, min
RT (Exp. RT): N/A (2.75) min	
Calculated conc: N/A ng/ml	2.5 3.0 3.5
Area Ratio: N/A	7.5 3.0 3.5 Time, min
	11110, 11111







Tapentadol 1 (222	2.2 / 107.1)		1
RT (Exp. RT):	N/A (3.14) min	100	N M
Calculated conc:	N/A ng/ml	0	1500
Area Ratio:	N/A		1.5 2.0 2.5 3.0 3.5 Time, min
Tapentadol 2 (222	2.2 / 77.0)		Λ
RT (Exp. RT):	N/A (3.14) min	100	1 mm/m/
Calculated conc:	N/A ng/ml	0	1.5 20 25 25
Area Ratio:	N/A		1.5 2.0 2.5 3.0 3.5 Time, min
Tramadol 1 (264.2	2 / 58.1)		A A/1
RT (Exp. RT):	N/A (2.97) min		M.M.M.
Calculated conc:	N/A ng/ml	0 –	1.5 2.0 2.5 3.0 3.5
Area Ratio:	N/A		Time, min
Tramadol 2 (264.2	2 / 42.1)		٨
RT (Exp. RT):	N/A (2.97) min		1 m. M. M
Calculated conc:	N/A ng/ml	0 –	1.5 2.0 2.5 3.0 3.5
Area Ratio:	N/A		1.5 2.0 2.5 3.0 3.5 Time, min

Case: 4:22-cv-00878-SHL Doc. #: 106-5 Filed: 08/08/24 Page: 71 of 71 PageID

#: 4040



Created with Analyst Reporter Printed: 20/02/2023 12:43:27 PM

CONFIDENTIAL AH0010225